

Groene Hart Ziekenhuis



Open voor iedereen

Anesthesiologie		
van Lanschot Hubrecht WJ, Be WKM, Fredriks IM, Dalman JE.	[Mix-up of medication in spinal anaesthetics].	Ned Tijdschr Geneeskd. 2018;163.
Chirurgie		
Roeke T, Hovsibian S, Schlejen PM, Dinant S, Koster T, Waasdorp EJ.	A mycotic aneurysm of the abdominal aorta caused by Mycobacterium bovis after intravesical instillation with bacillus Calmette-Guerin.	J Vasc Surg Cases Innov Tech. 2018;4(2):122-5.
Jonker FHW, van Houten VAA, Wijngaarden LH, Klaassen RA, de Smet A, Niezen A, et al.	Age-Related Effects of Bariatric Surgery on Early Atherosclerosis and Cardiovascular Risk Reduction.	Obes Surg. 2018;28(4):1040-6.
Poelemeijer YQM, Liem RSL, Vage V, Mala T, Sundbom M, Ottosson J, et al.	Perioperative Outcomes of Primary Bariatric Surgery in North-Western Europe: a Pooled Multinational Registry Analysis.	
Heemskerk SCM, Rotteveel AH, Benninga MA, Baeten CIM, Masclee AAM, Melenhorst J, et al.	Sacral neuromodulation versus personalized conservative treatment in patients with idiopathic slow-transit constipation: study protocol of the No.2-trial, a multicenter open-label randomized controlled trial and cost-effectiveness analysis	Int J Colorectal Dis. 2018;33(4):493-501.
Dijkhorst PJ, Boerboom AB, Janssen IMC, Swank DJ, Wiezer RMJ, Hazebroek EJ, et al.	Failed Sleeve Gastrectomy: Single Anastomosis Duodenal Bypass or Roux-en-Y Gastric Bypass? A Multicenter Cohort Study.	Obes Surg. 2018.
de Jong Y, van Loenhout RB, Swank DJ, Jansen CL, Sorgdrager BJ.	Polymicrobial bacterial pericarditis and cardiac tamponade caused by pericardial penetration of an adjustable gastric band.	BMJ Case Rep. 2018;2018.
Gynaecologie		
Woiski M, de Visser S, van Vugt H, Dijkman A, Schuitemaker N, van Meir C, et al	Evaluating Adherence to Guideline-Based Quality Indicators for Postpartum Hemorrhage Care in the Netherlands Using Video Analysis	Obstet Gynecol. 2018;132(3):656-67.
van Dongen H, van der Vaart H, Kluivers KB, Elzevier H, Roovers JP, Milani AL.	Dutch translation and validation of the pelvic organ prolapse/incontinence sexual questionnaire-IUGA revised (PISQ-IR).	Int Urogynecol J. 2018.
Lemmers M, Verschoor MAC, Bossuyt PM, Huirne JAF, Spinder T, Nieboer TE, et al.	Cost-effectiveness of curettage vs. expectant management in women with an incomplete evacuation after misoprostol treatment for first-trimester miscarriage: a randomized controlled trial and cohort study.	Acta Obstet Gynecol Scand. 2018;97(3):294-300.
Bui BN, Torrance HL, Janssen C, Cohlen B, de Bruin JP, den Hartog JE, et al.	Does endometrial scratching increase the rate of spontaneous conception in couples with unexplained infertility and a good prognosis (Hunault > 30%)? Study protocol of the SCRa. TCH-OFO trial: a randomized controlled trial	BMC Pregnancy Childbirth. 2018;18(1):511.
Infectiepreventie		
Liu X, Kelleners-Smeets NWJ, Sprengers M, Hira V, Mosterd K, Nelemans PJ.	A Clinical Prediction Model for Surgical Site Infections in Dermatological Surgery.	Acta Derm Venereol. 2018;98(7):683-8.
Intensive Care		
Smit JM, Raadsen R, Blans MJ, Petjak M, Van de Ven PM, Tuinman PR.	Bedside ultrasound to detect central venous catheter misplacement and associated iatrogenic complications: a systematic review and meta-analysis.	Crit Care. 2018;22(1):65.
Interne geneeskunde		

Baven-Pronk M, Biewenga M, van Silfhout JJ, van den Berg AP, van Buuren HR, Verwer BJ, et al.	Role of age in presentation, response to therapy and outcome of autoimmune hepatitis	Clin Transl Gastroenterol. 2018;9(6):165
Yazer MH, Spinella PC, Allard S, Roxby D, So-Osman C, Lozano M, et al	Vox Sanguinis International Forum on the use of prehospital blood products and pharmaceuticals in the treatment of patients with traumatic haemorrhage	Vox Sang. 2018.
van den Beld AW, Kaufman JM, Zillikens MC, Lamberts SWJ, Egan JM, van der Lely AJ.	The physiology of endocrine systems with ageing.	Lancet Diabetes Endocrinol. 2018;6(8):647-58.
Schrader AMR, Jansen PM, Willemze R, Vermeer MH, Cleton-Jansen AM, Somers SF, et al.	High prevalence of MYD88 and CD79B mutations in intravascular large B-cell lymphoma.	Blood. 2018;131(18):2086-9.
Roeke T, Hovsibian S, Schlejen PM, Dinant S, Koster T, Waasdorp EJ.	A mycotic aneurysm of the abdominal aorta caused by Mycobacterium bovis after intravesical instillation with bacillus Calmette-Guerin.	J Vasc Surg Cases Innov Tech. 2018;4(2):122-5.
Overwater A, Kessels K, Elias SG, Backes Y, Spanier BWM, Seerden TCJ, et al.	Endoscopic resection of high-risk T1 colorectal carcinoma prior to surgical resection has no adverse effect on long-term outcomes.	Gut. 2018;67(2):284-90.
Munoz M, Acheson AG, Bisbe E, Butcher A, Gomez-Ramirez S, Khalafallah AA, et al.	An international consensus statement on the management of postoperative anaemia after major surgical procedures.	Anaesthesia. 2018.
Moest W, van der Deure W, Koster T, Spee-Dropkova M, Swart-Busscher L, de Haas RJ, et al.	Glycogen storage disease type Ia: Adult presentation with microcytic anemia and liver adenomas.	Hepatology. 2018;68(2):780-2.
Kessels K, Backes Y, Elias SG, van den Blink A, Offerhaus GJA, van Bergeijk JD, et al.	Pedunculated Morphology of T1 Colorectal Tumors Associates With Reduced Risk of Adverse Outcome.	Clin Gastroenterol Hepatol. 2018.
Backes Y, Elias SG, Groen JN, Schwartz MP, Wolfhagen FHJ, Geesing JMJ, et al.	Histologic Factors Associated With Need for Surgery in Patients With Pedunculated T1 Colorectal Carcinomas.	Gastroenterology. 2018;154(6):1647-59.
Voorn VMA, van Bodegom-Vos L, So-Osman C.	Towards a systematic approach for (de)implementation of patient blood management strategies.	Transfus Med. 2018;28(2):158-67.
Kindergeneeskunde		
Sol JJ, van de Loo M, Boerma M, Bergman KA, Donker AE, van der Hoeven M, et al.	NEOnatal Central-venous Line Observational study on Thrombosis (NEOCLOT): evaluation of a national guideline on management of neonatal catheter-related thrombosis.	BMC Pediatr. 2018;18(1):84.
Nederlof I, Roest AAW, Starreveld JS.	A full-term healthy neonate with respiratory distress.	Cardiol Young. 2018;28(3):500-1.
Franken MMA, Veenstra-van Schie MTM, Ahmad YI, Koopman HM, Versteegh FGA.	The presentation of a short adapted questionnaire to measure asthma knowledge of parents.	BMC Pediatr. 2018;18(1):14.
Medische Microbiologie		
Roeke T, Hovsibian S, Schlejen PM, Dinant S, Koster T, Waasdorp EJ.	A mycotic aneurysm of the abdominal aorta caused by Mycobacterium bovis after intravesical instillation with bacillus Calmette-Guerin.	J Vasc Surg Cases Innov Tech. 2018;4(2):122-5.
Liu X, Kelleners-Smeets NWJ, Sprengers M, Hira V, Mosterd K, Nelemans PJ.	A Clinical Prediction Model for Surgical Site Infections in Dermatological Surgery.	Acta Derm Venereol. 2018;98(7):683-8.
Medische Staf		
van Lanschot Hubrecht WJ, Be WKM, Fredriks IM, Dalman JE.	[Mix-up of medication in spinal anaesthetics].	Ned Tijdschr Geneeskd. 2018;163.
Neurologie		
van Lanschot Hubrecht WJ, Be WKM, Fredriks IM, Dalman JE.	[Mix-up of medication in spinal anaesthetics].	Ned Tijdschr Geneeskd. 2018;163.
van Gorp DAM, van der Klink JJL, Abma FI, Jongen PJ, van Lieshout I, Arnoldus EPJ, et al.	The capability set for work - correlates of sustainable employability in workers with multiple sclerosis.	Health Qual Life Outcomes 2018;16(1):113

Signori A, Izquierdo G, Lugaresi A, Hupperts R, Grand'Maison F, Sola P, et al.	Long-term disability trajectories in primary progressive MS patients: A latent class growth analysis.	Mult Scler. 2018;24(5):642-52.
Hughes J, Jokubaitis V, Lugaresi A, Hupperts R, Izquierdo G, Prat A, et al.	Association of Inflammation and Disability Accrual in Patients With Progressive-Onset Multiple Sclerosis.	JAMA Neurol. 2018.
Orthopedie		
Beekhuizen SR, Voskuijl T, Onstenk R.	Long-Term Results of Hemiarthroplasty Compared With Arthrodesis for Osteoarthritis of the First Metatarsophalangeal Joint.	J Foot Ankle Surg. 2018;57(3):445-50.
Meessen J, Leichtenberg CS, Tilbury C, Kaptein BL, Koster LA, Slagboom PE, et al.	Frailty in end-stage hip or knee osteoarthritis: validation of the Groningen Frailty Indicator (GFI) questionnaire.	Rheumatol Int. 2018;38(5):917-24.
Plastische Chirurgie		
Kruit AS, van Doesburg MHM, Ruhe PQ, de With MCJ.	Mammoplasty in patients with large areola: Reducing the nipple-areola complex using intra-areolar incisions.	J Plast Reconstr Aesthet Surg. 2018;71(2):267-9.
Radiologie		
de Bakker BS, de Bakker HM, Soerdjbalie-Maikoe V, Dikkens FG.	The development of the human hyoid-larynx complex revisited.	Laryngoscope. 2018;128(8):1829-34
Moest W, van der Deure W, Koster T, Spee-Dropkova M, Swart-Busscher L, de Haas RJ, et al.	Glycogen storage disease type Ia: Adult presentation with microcytic anemia and liver adenomas.	Hepatology. 2018;68(2):780-2.
de Bakker HM, Tijsterman M, Kubat B, Soerdjbalie-Maikoe V, van Rijn RR, de Bakker BS.	Postmortem radiological case series of acetabular fractures after fatal aviation accidents.	Forensic Sci Med Pathol. 2018;14(1):62-9.
Reumatologie		
van Lunteren M, Scharloo M, Ez-Zaitouni Z, de Koning A, Landewe R, Fongen C, et al.	The Impact of Illness Perceptions and Coping on the Association Between Back Pain and Health Outcomes in Patients Suspected of Having Axial Spondyloarthritis: Data From the SPOnyloArthritis Caught Early Cohort.	Arthritis Care Res (Hoboken). 2018;70(12):1829-39.
Kempers AC, Hafkenscheid L, Dorjee AL, Moutousidou E, van de Bovenkamp FS, Rispens T, et al.	The extensive glycosylation of the ACPA variable domain observed for ACPA-IgG is absent from ACPA-IgM.	Ann Rheum Dis. 2018;77(7):1087-8.
Akdemir G, Heimans L, Bergstra SA, Goekoop RJ, van Oosterhout M, van Groenendaal J, et al.	Clinical and radiological outcomes of 5-year drug-free remission-steered treatment in patients with early arthritis: IMPROVED study.	Ann Rheum Dis. 2018;77(1):111-8.
Kempers AC, Nejadnik MR, Rombouts Y, Ioan-Facsinay A, van Oosterhout M, Jiskoot W, et al.	Fc gamma receptor binding profile of anti-citrullinated protein antibodies in immune complexes suggests a role for FcgammaRI in the pathogenesis of synovial inflammation.	Clin Exp Rheumatol. 2018;36(2):284-93.
Bakker PA, van den Berg R, Hooge M, van Lunteren M, Ez-Zaitouni Z, Fagerli KM, et al.	Impact of replacing radiographic sacroiliitis by magnetic resonance imaging structural lesions on the classification of patients with axial spondyloarthritis.	Rheumatology (Oxford). 2018.
Akdemir G, Markusse IM, Bergstra SA, Goekoop RJ, Molenaar ET, van Groenendaal J, et al.	Comparison between low disease activity or DAS remission as treatment target in patients with early active rheumatoid arthritis.	RMD Open. 2018;4(1):e000649.